



INDUSTRIAL PRODUCT RANGE

Logistics | Transport | Civil | Commercial




rct-global.com



CONTENTS

SMARTTRACK® FLEET MANAGEMENT	3
SPEED ZONING & LIMITERS SOLUTIONS	4
SEQUENTIAL SEAT BELT CONTROLLERS (SSBC)	5
DIRECTIONAL CHANGE CONTROLLERS (DCC)	6
ENGINE PROTECTION SYSTEM (EPS)	7
SMARTSPOT AWARENESS TECHNOLOGY	8
ARC LIGHT	9
LINE LIGHT	10
COLOUR CHANGE LED MINI LIGHT BAR	11
LED WORK LIGHTS	12
CAMERA VISION SYSTEMS (FOR MAST & REVERSING)	13
MULTI-VIEW CAMERA	14
REAR DETECTION SYSTEMS	15
RCT ONLINE PARTS CATALOGUE	15

SMARTTRACK® FLEET MANAGEMENT



SMART TECHNOLOGY HELPS
TAKE THE STRESS AND RISK
OUT OF FLEET OPERATION.

LOOKING FOR WAYS TO REDUCE YOUR FLEET RUNNING COSTS? OVERWHELMED BY PAPERWORK AND COMPLIANCE OBLIGATIONS? WANT TO ENJOY A STRESS-FREE OPERATION? TAKE CONTROL, WITH SMARTTRACK® BY RCT.

SmarTrack® is designed to provide unrivalled control over your operating equipment investments by providing intelligent insights that allow monitoring, control and continual improvement of productivity and safety of fleet in the work environment.

The solution is underpinned by comprehensive training and direct phone support to ensure your solution provides measurable value, all the time.

Key Features

- ✓ Charting dashboard
- ✓ Full colour user interface
- ✓ Operator access control
- ✓ Multi-lingual display
- ✓ Pre-start checklist
- ✓ Impact monitoring
- ✓ Excess idle logout
- ✓ Email alerts
- ✓ Email reports (daily, weekly, monthly)
- ✓ Configurable inputs
- ✓ Out-of-service feature
- ✓ Remote updating of machine parameters
- ✓ Over-the-Air software updates
- ✓ Battery monitoring (add-on)
- ✓ GPS speed zoning (add-on)



SPEED ZONING & LIMITERS SOLUTIONS



SPEED LIMITERS FOR GREATER CONTROL IN REDUCING INCIDENTS

With speed being one of the major contributors to forklift accidents, the Muirhead® Forklift Speed Limiter provides a safe reliable solution for controlling speed in most forklift applications.

The system can be supplied to both cable and electronic throttle systems and is designed to interface into machine wiring either as a plug and play or following simple instructions.


The Forklift Speed Limiter has a built-in safety circuit that prevents overspeed in the event of faulty speed signal or system disconnection.

RCT design forklift speed limiters to suit a wide variety of machine types and models.

The kit can also interface into any of the RCT speed zone systems to enhance the speed control on your site.

Features

- Increases workplace and forklift safety
- Reduces speed related injuries
- Reduces fuel, running and maintenance costs
- Extends vehicle service life
- Assists in maintaining OHS procedures.
- Secure speed programming



MACHINE SPEED ZONING KEEPS YOU & MACHINE SAFE WITH CONTROL

The Muirhead® GPS Zone Controller is the latest in machine zone and location solution.

With up to 50 zones and 4 different outputs, the GPS Zone Controller will automatically change machine speed as it passes between zones.

The zones are configured by the Site Administrator on the SmarTrack® website.

The systems uses GPS Technology and is suitable for sites that require slow speed inside buildings and higher speeds outside in open areas.

Features

- Suits larger 'open' sites
- Up to 4 outputs and 50 zones per site
- Low on-going cost
- Flexible - easy to change zone areas
- IP65 rated
- 8-32 V machines
- Machine defaults to low speed if GPS signal is lost
- Zone adjustment through user friendly interface

SEQUENTIAL SEAT BELT CONTROLLERS (SSBC)



SEQUENTIAL SEATBELT CONTROLLER FOR ASSISTING OPERATORS

Operator safety is of paramount importance in any operation. Forklift operators neglecting to use a seatbelt are a hazard to both themselves and the operation.

To ensure that the forklift cannot be operated unless the seatbelt is securely fastened, RCT has developed the Muirhead® Sequential Seatbelt Controller.

The Sequential Seatbelt Controller (SSBC) is one of the most cost effective, smart technology, seat belt interlock systems in the forklift market.

The controller is programmed to assist operators in following the correct sequence when applying their seatbelt. The SSBC prevents operation if the correct sequence is not followed and will immobilise the machine. A visual warning alerts the operator 5 seconds before immobilisation.

The kits are designed to suit all forklifts and can also be customised for plug and play installation for specific brands.


Kits are supplied in low voltage 10 – 30 V and high voltage battery electric 36 – 48 volts. Kits can include seatbelt and buckle if required.



Features

- Designed to meet Australian Standards
- Quick installation time
- Programmable engine shutdown time
- Fully sealed product to suit all conditions
- Improves operator safety
- Industry proven technology

DIRECTIONAL CHANGE CONTROLLERS (DCC)



DIRECTIONAL CHANGE CONTROLLER REDUCE MACHINE WEAR AND TEAR

The Muirhead® Directional Change Controller (DCC) is designed to help reduce excessive tyre wear, transmission damage, damage to cargo and unsightly "skid marks" that can be the result of harsh gear changes.

By sensing the machine ground speed and gear selection, the DCC will inhibit a change of machine direction unless the machine has slowed down to a pre-set threshold whereby the opposite gear can then be selected.

Frequency Sensor

The DCC senses the machine speed.

Gear Sensor

The controller senses when forward and reverse gears have been selected.

Gear Lockout

The DCC will neutralise the directional gear change of the machine until it slows down to reach the pre-set threshold whereby the opposite gear can be selected.

Features

The DCC can help reduce excessive:

- Tyre wear
- Transmission damage
- Skid marks
- Reduces unsafe driving practices
- Compatible with most 12 V and 24 V machines that use electric gear shifts
- Compatible with negative or positive switching via configuration settings
- Configurable gear change threshold
 - can be set from 0 KM/H to any speed

ENGINE PROTECTION SYSTEM (EPS)



ENGINE PROTECTION SYSTEM MONITORING CRITICAL ENGINE FUNCTIONS

The Muirhead® Engine Protection system offers engine protection for machines by monitoring critical engine functions such as oil pressure, coolant level and coolant temperature.

The system pre-warns the operator of critical operating conditions prior to the onset of engine failure. This allows the operator to take action to reduce premature engine failure, damage and costly repairs to the equipment.

The system provides both an audible and visual warning and incorporates additional outputs for return to idle or shutdown modes.

Compact in design and easy to install, the engine protection system is an effective tool in the management of engine protection and engine maintenance for machines.

Features & Benefits

- Monitors critical engine functions
- Easy diagnosis of engine problems
- User friendly display
- Customised electronic circuitry
- Audible and visual warnings
- Australian made and tested
- Universal applications
- Multi voltage applications
- Tamper proof
- Guards against engine failure
- Reduces costly engine repairs
- Reduces operator responsibility
- Can be customised to suit machine type and operator requirements

SMARTSPOT AWARENESS TECHNOLOGY

'SMARTSPOT' WARNING LIGHT

BE SAFE, BE SMART... BE SEEN



Specifications

Voltage	9 - 80 VDC
Power	2 x 3 Watt Cree leds
Current Draw	0.49 A @ 9 V 0.027 A @ 80 V
Material	Die cast aluminium housing
Reflector and lens	Poly carbonate
Mounting bracket	Stainless steel
Termination	300mm flying lead
Waterproof rating	IP67
Beam Pattern	Spot

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.



ARC LIGHT

FORKLIFT LED ARC LIGHT

BE SAFE, BE SMART... BE SEEN



Specifications

Voltage	9 - 60 VDC
Power	7 x 3 Watt Cree leds
Dimensions	130mm x 150mm x 80mm
Material	Die cast aluminium housing
Reflector and lens	Poly carbonate
Mounting bracket	Stainless steel
Termination	500mm flying lead
Waterproof rating	IP67
Hours lifespan	30,000+
Beam Pattern	Arc

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.



LINE LIGHT

FORKLIFT LED LINE LIGHT

BE SAFE, BE SMART... BE SEEN



Specifications

Voltage	10 - 80 VDC
Power	5 x 3 Watt Cree leds
Dimensions	115mm x 85.87mm x 74mm
Material	Die cast aluminium housing
Reflector and lens	Poly carbonate
Mounting bracket	Stainless steel
Termination	500mm flying lead
Waterproof rating	IP67
Hours lifespan	30,000+
Beam Pattern	Line

Available in blue and red beam, these lights are specifically designed to project a visual caution mark onto the floor of your warehouse, alerting nearby people and other machine users that a vehicle is approaching.



COLOUR CHANGE LED MINI LIGHT BAR

LED MINI LIGHT BAR

ONE LIGHT, DUAL OUTPUTS



Specifications

Voltage	12 - 30 VDC
Maximum Current Draw	3 A @ 12 V
Flash Patterns	14
Mounting	4 x M5 Bolts
Lens	Poly carbonate
Housing	Aluminium
Cable Length	0.4m
Weight	1kg
Light Source	4 x 4 LED Modules
Flash Colour	Amber / Green
Ingress Protection	IP67
Operating Temperature	-40°C to 60°C

A trigger wire will interchange the light from amber to green to convey whether the machine is safe to approach.



LED WORK LIGHTS

LED COMPACT WORK LAMP

RELIABLE, AFFORDABLE LIGHTING
FOR HARSH CONDITIONS



Specifications

Voltage:	10–52 VDC
Output:	550 lumen (4x 2.5 W LEDs)
Current Draw:	0.9 A @ 12 V 0.4 A @ 28 V
Dimensions:	66mm (H) x 66mm (W) x 65mm (D)
Beam Pattern:	36° trapezoid
Beam Distance:	37m @ 1 lux

Representing the latest in high output lighting technology, the AusProTec™ Compact LED work light is robust, powerful and resistant to shock, vibration, dust and moisture.

With solid-state LED construction and a fully sealed housing (rated to IP67), this LED work light takes durability and reliability to the next level.

This work light features rugged and lightweight die-cast alloy housing, stainless steel mounting hardware, and virtually unbreakable polycarbonate optical lenses. Containing 4 x 2.5 watt LED's, this multi voltage unit has a 550 lumen output making it a perfect solution for your compact lighting application.



CAMERA VISION SYSTEMS (FOR MAST & REVERSING)

REAR VISION CAMERA SYSTEMS FOR MAINTAINING CLEAR VISION DAY OR NIGHT!



The Maxi Vision® camera systems offer machine operators a new perspective on driving and operating their equipment. The range of single and multiple camera systems provide end users with different choices on the best camera system set up to suit their application.

The Maxi Vision® range of colour LCD monitor and camera options are robust in design and are ideally suited to industrial and mining applications. Heavy duty casing and mounting options are also available to suit custom applications.

Widen your view towards machine safety and productivity.


Components & accessories

Refer to camera kits and components guide

Custom camera kits to suit specific applications available on request. Components differ between kits.



MAXI VISION® MAST CAMERA KIT CLEAR VISION REDUCES PRODUCT DAMAGE COSTS



The Maxi Vision® Camera systems offer forklift operators a new perspective on driving and operating their equipment. The camera systems are designed to enhance safety by improving the operator's vision when performing such tasks as lifting, transporting loads or reversing the forklift. The systems are suitable for use on small or large forklift trucks, battery electric or I/C models.

The Maxi Vision® range of colour LCD monitor and camera options are robust in design and are ideally suited to industrial equipment. Heavy duty casing and mounting options are also available to suit custom applications.

The camera system has been designed to suit forklifts and includes pulleys, heavy duty cabling, special mounting and fittings to enable reliable installation to most battery electric and IC forklifts. So look forward to a safer view on forklift safety whilst improving productivity!

Features

- Multiple camera options available
- Customised systems available on request
- 12/24 V application
- 36/48 V application with addition of voltage regulator
- Simple to use, reliable in operation and easy to maintain
- Compatible with small or large forklifts
- Clear vision whilst lifting, transporting loads and reversing
- Industry proven reliability



MULTI-VIEW CAMERA

MULTI-VIEW 1.3M CAMERA TWO IN ONE CAMERA



Specifications

View Angle	Drive: 80(H) / 60(V) / 95(D)	Rear: 120(H) / 90(V) / 140(D)
Pick-up Device	1.3M Colour CMOS camera	
Minimum Illumination	0.2Lux (F=2.4)	
Resolution	1000 TV Lines	
Input Voltage	12 / 24VDC	
Operating Temperature	-20°C ~ 60°C	
Dimensions	28(Ø) x 33(D) mm	
Weight	44.5g	

The AusProTec™ Maxi Vision® Dual View Camera is a parking and driving camera rolled into one. The 1.3M IP68 camera is compact in design and easily adapted into the current Maxi Vision® camera range. The existing monitor trigger wire is used to switch between modes; eliminating the need for the operator to manually change channels on the monitor itself.



REAR DETECTION SYSTEMS

SENTRY PREVIEW REAR DETECTION KITS

BE AWARE OF THE
SURROUNDING AREA



The Sentry PreView detection kits make reversing mobile machines safe in any environment. It has the ability to detect objects from the face of the radar up to 20 metres (98 feet) and is fully adjustable to fit almost all vehicle types. Sentry PreView accurately identifies the location and velocity of up to 16 people or objects simultaneously and is designed to withstand the harshest environment. The kits come with built in fail-safe alerts that notifies the operator of any radar or communication issues to further ensure they are working with the most reliable object detection system available.

Features

- 24GHz Radar (up to 30m range)
- Tested to operate in extreme environments
- Extremely sealed at IP69K
- FMCW + Doppler (Pulse-Doppler)
- Programmable Field-of-View (tracking up to 16 targets)
- Intelligent processor – supports adaptable FOV, filtering algorithms, and communication message formats
- Smaller size allows more flexible mounting options, including flush mount
- Customisable CAN-bus integration
- Ideal for integration with vision systems

RCT ONLINE PARTS CATALOGUE

RCT catalogue has a huge range of specialised electrical parts including voltage reducers, solenoids, switches, battery connectors, Deutsch kits

SOLENOIDS

RCT's Solenoids has been compiled to suit your desired application. A choice of type, models and voltages are available.



VOLTAGE REDUCERS / REGULATORS

Voltage reducers / regulators have been developed to provide multiple solutions for your voltage reducing / regulating needs.



SWITCHES

RCT range of pressure and temperature switches are designed to optimise your equipment operation.



COOLANT LEVEL KITS

Monitor engine coolant levels on motor powered equipment to prevent premature engine failure.



BATTERY ISOLATORS

Supplied by a range of manufacturers such as Cole Hersee, Locksafe, Bosch and Lucas, available in 12 or 24 V, single or double pole and suited for universal application. We have a selection of the most reliable and cost effective isolators available.



DEUTSCH KITS

RCT stocks a large variety of Deutsch Kits



Discover more: rct-global.com

sales@rct-global.com

AUSTRALIA: +61 8 9353 6577
AFRICA: +27 83 292 4246
CANADA: +1 705 590 4001
RUSSIA / CIS: +7 (910) 411 11-74
SOUTH AMERICA: +56 9 8731 9925
USA: +1 801 938 9214

